

LOCATION		FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
A	126,756	272	2,443	8.3	4,048.3	4,048.3	4,049.1	0.8
B	129,563	255	2,629	7.7	4,054.6	4,054.6	4,055.3	0.7
C	131,234	276	2,469	8.2	4,058.3	4,058.3	4,058.5	0.2
D	134,234	646	5,540	3.6	4,066.0	4,066.0	4,066.0	0.0
E	136,044	1,866	11,499	1.8	4,066.5	4,066.5	4,066.6	0.1
F	137,540	2,417	7,336	2.8	4,067.0	4,067.0	4,067.1	0.1
G	138,627	1,646	3,654	5.5	4,069.3	4,069.3	4,069.3	0.0
H	140,058	1,115	3,352	6.0	4,073.5	4,073.5	4,073.5	0.0
I	143,077	1,294	4,763	4.2	4,081.1	4,081.1	4,081.1	0.0
J	145,229	876	4,029	5.0	4,086.6	4,086.6	4,086.7	0.1
K	146,010	1,288	5,050	4.0	4,087.9	4,087.9	4,087.9	0.0
L	147,649	774	2,743	7.4	4,090.9	4,090.9	4,090.9	0.0
M	149,762	545	2,944	6.9	4,096.7	4,096.7	4,096.7	0.0
N	151,895	232	2,191	9.2	4,101.5	4,101.5	4,101.5	0.0
O	154,167	514	2,991	6.8	4,105.9	4,105.9	4,105.9	0.0
P	156,380	227	2,253	9.0	4,109.7	4,109.7	4,109.7	0.0
Q	157,931	255	2,512	8.0	4,113.1	4,113.1	4,113.1	0.0
R	160,189	326	2,485	8.1	4,117.9	4,117.9	4,117.9	0.0
S	162,957	493	2,118	9.5	4,125.3	4,125.3	4,125.3	0.0
T	164,712	145	1,750	11.5	4,129.9	4,129.9	4,129.9	0.0
U	167,293	760	6,608	3.1	4,142.1	4,142.1	4,142.4	0.3

¹ Feet above Pyramid Lake

TABLE 24

FEDERAL EMERGENCY MANAGEMENT AGENCY

WASHOE, NV

AND INCORPORATED AREAS

FLOODWAY DATA

FLOODING SOURCE: TRUCKEE RIVER

LOCATION		FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
V	169,175	348	2,326	8.7	4,144.2	4,144.2	4,144.2	0.0
W	170,961	147	1,598	12.6	4,149.8	4,149.8	4,149.8	0.0
X	171,578	133	1,593	12.7	4,153.3	4,153.3	4,153.3	0.0
Y	173,388	138	1,662	12.2	4,162.9	4,162.9	4,162.9	0.0
Z	174,866	425	4,187	4.8	4,167.0	4,167.0	4,167.0	0.0
AA	177,226	453	3,096	6.5	4,168.5	4,168.5	4,168.5	0.0
AB	179,704	288	2,149	9.4	4,173.3	4,173.3	4,173.3	0.0
AC	180,541	313	2,107	9.6	4,175.8	4,175.8	4,175.8	0.0
AD	182,856	305	2,619	7.7	4,183.5	4,183.5	4,183.5	0.0
AE	185,682	284	2,833	7.1	4,192.9	4,192.9	4,192.9	0.0
AF	186,537	457	3,640	5.5	4,194.1	4,194.1	4,194.1	0.0
AG	188,947	417	3,450	5.9	4,198.0	4,198.0	4,198.0	0.0
AH	192,036	300	4,293	4.7	4,213.3	4,213.3	4,213.3	0.0
AI	192,635	734	5,202	3.9	4,213.7	4,213.7	4,213.7	0.0
AJ	195,093	90	1,334	15.1	4,216.2	4,216.2	4,216.2	0.0
AK	197,995	315	3,536	5.7	4,224.2	4,224.2	4,224.2	0.0
AL	199,085	499	4,080	5.0	4,224.9	4,224.9	4,224.9	0.0
AM	200,572	542	5,083	4.0	4,226.6	4,226.6	4,226.6	0.0
AN	203,143	504	3,198	6.3	4,229.1	4,229.1	4,229.1	0.0
AO	204,086	216	2,388	8.5	4,230.3	4,230.3	4,230.3	0.0
AP	206,524	443	2,397	8.4	4,234.0	4,234.0	4,234.0	0.0

¹ Feet above Pyramid Lake

TABLE 24

FEDERAL EMERGENCY MANAGEMENT AGENCY

WASHOE, NV

AND INCORPORATED AREAS

FLOODWAY DATA

FLOODING SOURCE: TRUCKEE RIVER

LOCATION		FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
AQ	209,399	128	1,537	13.1	4,242.4	4,242.4	4,242.5	0.1
AR	210,095	291	3,160	6.4	4,246.2	4,246.2	4,246.2	0.0
AS	213,140	790	9,831	2.1	4,249.5	4,249.5	4,249.6	0.1
AT	215,398	579	5,822	3.5	4,249.7	4,249.7	4,249.8	0.1
AU	217,145	722	14,347	1.4	4,250.0	4,250.0	4,250.5	0.5
AV	218,978	441	3,230	6.3	4,250.7	4,250.7	4,251.2	0.5
AW	221,545	422	2,737	7.4	4,254.3	4,254.3	4,254.6	0.3
AX	222,808	348	3,498	5.8	4,257.3	4,257.3	4,257.8	0.5
AY	224,971	487	5,119	3.9	4,262.5	4,262.5	4,263.0	0.5
AZ	229,000	867	7,178	2.8	4,266.9	4,266.9	4,267.5	0.6
BA	230,919	434	3,363	6.0	4,267.7	4,267.7	4,268.2	0.5
BB	233,457	237	2,737	7.4	4,272.1	4,272.1	4,272.3	0.2
BC	235,244	180	2,473	8.2	4,274.7	4,274.7	4,275.0	0.3
BD	236,818	200	2,537	8.0	4,278.1	4,278.1	4,278.5	0.4
BE	238,616	322	3,280	6.2	4,281.2	4,281.2	4,281.3	0.1
BF	241,240	744	4,987	4.1	4,282.4	4,282.4	4,282.9	0.5
BG	244,107	479	2,682	7.5	4,285.3	4,285.3	4,285.5	0.2
BH	245,722	318	2,220	9.1	4,289.2	4,289.2	4,289.2	0.0
BI	248,033	646	4,270	4.7	4,297.5	4,297.5	4,297.5	0.0
BJ	250,733	266	2,446	8.3	4,303.8	4,303.8	4,303.8	0.0
BK	251,778	303	2,490	8.1	4,306.2	4,306.2	4,306.2	0.0

¹ Feet above Pyramid Lake

TABLE 24

FEDERAL EMERGENCY MANAGEMENT AGENCY

WASHOE, NV

AND INCORPORATED AREAS

FLOODWAY DATA

FLOODING SOURCE: TRUCKEE RIVER

LOCATION		FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
BL	253,602	433	2,621	7.7	4,311.8	4,311.8	4,311.8	0.0
BM	256,084	384	3,509	5.8	4,321.6	4,321.6	4,321.8	0.2
BN	258,754	722	7,186	2.8	4,323.3	4,323.3	4,323.4	0.1
BO	261,015	1,165	6,196	3.3	4,324.0	4,324.0	4,324.1	0.1
BP	262,392	605	3,276	6.2	4,325.3	4,325.3	4,325.4	0.1
BQ	264,970	476	4,031	6.2	4,332.8	4,332.8	4,332.8	0.0
BR	266,477	542	3,825	6.6	4,335.2	4,335.2	4,335.2	0.0
BS	268,428	624	3,324	6.1	4,338.1	4,338.1	4,338.1	0.0
BT	270,854	253	2,391	8.4	4,346.3	4,346.3	4,346.4	0.1
BU	272,268	199	1,665	12.1	4,350.0	4,350.0	4,350.0	0.0
BV	274,567	371	3,560	5.7	4,363.5	4,363.5	4,363.5	0.0
BW	276,918	308	2,578	7.8	4,366.4	4,366.4	4,366.4	0.0

¹ Feet above Pyramid Lake

TABLE 24

FEDERAL EMERGENCY MANAGEMENT AGENCY

WASHOE, NV

AND INCORPORATED AREAS

FLOODWAY DATA

FLOODING SOURCE: TRUCKEE RIVER